



### **Primary Logotype**

The ADS Logotype should be used where possible.

Depending on which logo is being used a "TM" always appears on the top of the "S" or on the lower portion of the "S."

### Size Specification/Spatial Relationship

The Logotype must always have a minimum area of negative space that equals 1/4 inch of the total height. Nothing else should reside within that space.




ADS logo should always have 1/4 inch of white space all around.



ADS logo should never be smaller than 1/2 inch in height.









Monochromatic with Pantone Cool Grays 10/6/2 It is acceptable to use a black Logotype in black and white print.



Monochromatic with Pantone Cool 10 C

It is acceptable to use a black Logotype in black and white print.



**B&W Logotype | Monochromatic 100% Black** 

It is acceptable to use a black Logotype in black and white print.

## 

The ADS logo should always be presented clearly using the best available option for a given application. Here you can see which tone of darkness is ideal for either color, black or white logos.

Just match your background color against this diagram to ensure you select the right color combination.















**Logo Badge Style** 



**Logo Without Descriptor** 

# COLOR PALETTE



The dominant colors for ADS is Pantone Process Yellow C, Cool Gray 10, Cool Gray 6, Cool Gray 2, and Process Black C These colors are used to identify ADS on core items such as vehicle layout, advertising, signage, and official correspondences.

## **PRIMARY**

**PANTONE:** Process Yellow C

**CMYK:** C: 0% M: 0% Y: 100% K: 0%

**RGB:** R: 255 G: 242 B: 0

**HEX:** #fff200

PANTONE: Cool Gray 10 C

CMYK: C: 0% M: 0% Y: 0% K: 60%

**RGB:** R: 128 G: 130 B: 133

HEX: #808285

PANTONE: Cool Gray 6 C

**CMYK:** C: 0% M: 0% Y: 0% K: 35%

**RGB:** R: 177 G: 179 B: 182

**HEX**: b1b3b6



PANTONE: Cool Gray 2 C

CMYK: C: 0% M: 0% Y: 0% K: 10%

**RGB:** R: 230 G: 231 B: 232

**HEX:** e6e7e8



**PANTONE:** Process Black C

CMYK: C: 0% M: 0% Y: 0% K: 100%

**RGB:** R: 35 G: 31 B: 32

**HEX:** #231f20

White

**CMYK:** C: 0% M: 0% Y: 0% K: 0%

**RGB:** R: 255 G: 255 B: 255

HEX: #ffffff