


Pairing Mobile Device with the CL2 - Android


it is necessary to pair the vehicle mounted mobile device running the D3 app, with the CL2 before use. **Note: Pairing occurs when the D3 app is opened on the mobile device, not from within the bluetooth settings! For Android and IOS, UNPAIR from any existing Bluetooth device(s) found on the mobile device, using the FORGET command, BEFORE attempting to pair with the CL2.**




1. With vehicle power ON, the LED adjacent to the GPS antenna connector should glow BLUE.



2. Locate Settings in your mobile device, then Bluetooth. For Android, Settings are typically found in Apps on the home page.



3. Turn Bluetooth ON.



4. Vantage should now appear as a device connection option.



5. Open the D3 app.



6. TOUCH and HOLD the mobile device on the CL2.



Note: Do not pair from this window!

Pairing Mobile Device with the CL2 - Android




7. The LED will change from solid BLUE to blinking GREEN/BLUE, indicated phone and CL2 are paired.



8. The top three icons (Race Dash, Pit Dash and Lap Times) will now change from GRAY to GREEN. This indicates the mobile device and CL2 are now paired.



9. If unit fails to pair, press and hold the Clear Pairing button until the LED glows purple. Disconnect, then re-connect the CL2 and repeat the prior pairing steps.



10. If a tablet is to be utilized in the vehicle, a setup change in the D3 app is necessary. Tap Settings then Tap Enable Box Connection. Change from NO to YES. Restart the D3 app. At this time, the tablet can now be paired with the CL2.



Note: Disable mobile device screen lock, after installation of D3 app.




Note: If CL2 was previous paired to another mobile device, it will be necessary to CLEAR PAIRING from the CL2, before attempting to pair with new mobile device.

Pairing of the Mobile Device with the CL2 - iOS


It is necessary to pair the vehicle mounted mobile device running the D3 app, with the CL2 before use. **Note: Pairing occurs when the D3 app is opened on the mobile device, not from within the bluetooth settings!** For Android and IOS, UNPAIR from any existing Bluetooth device(s) found on the mobile device, using the FORGET command, BEFORE attempting to pair with the CL2.



1. With vehicle power ON, the LED adjacent to the GPS antenna connector should glow BLUE.



2. Locate Settings in your mobile device, then Bluetooth. For iOS devices, Settings are typically found on the home screen.



3. Turn Bluetooth ON.




Note: Do not pair from this window!



4. Open the D3 app.



5. TOUCH and HOLD the mobile device on the CL2.




6. Wait for the Bluetooth Pairing Request message. Select Pair.

Pairing of the Mobile Device with the CL2 - iOS




7. The LED will change from solid BLUE to blinking GREEN/BLUE, indicated phone and C2 are paired.



8. The top three icons (Race Dash, Pit Dash and Lap Times) will now change from GRAY to GREEN. This indicates the mobile device and CL2 are now paired.



9. If unit fails to pair, press and hold the Clear Pairing button until the LED glows purple. Disconnect, then re-connect the CL2 and repeat the prior pairing steps.



10. If a tablet is to be utilized in the vehicle, a setup change in the D3 app is necessary. Tap Settings then Tap Enable Box Connection. Change from NO to YES. Restart the D3 app. At this time, the tablet can now be paired with the CL2.



Note: Disable mobile device screen lock, after installation of D3 app.



Note: If CL2 was previous paired to another mobile device, it will be necessary to CLEAR PAIRING from the CL2, before attempting to pair with new mobile device.