



## **Primary Logotype**

The Flowmaster Logotype should be used where possible.





## **Contrast Logotype**

When using a dark background, use a white Logotype.



## **B&W** Logotype

It is acceptable to use a black Logotype in black and white print.



## LOGOTYPE



## **Spatial Relationship**

The Logotype must always have a minimum area of negative space that equals 1/4 of the total height. Nothing else should reside within that space.



## Common Logotype Mistakes

- DO NOT incorporate the Flowmaster Logotype into your own company identity.
- DO NOT alter the shape or color.
- DO NOT use artwork that has been rendered to look three-dimensional or have a reflective shine.
- DO NOT add shadows, reflections or glowing effects.
- DO NOT use on cluttered or overly patterned backgrounds.
- DO NOT add a stroke to the Logotype.
- DO NOT make additions to the Logotype.



### **Palette**

The colors for Flowmaster are red (Pantone 186 C) and black (Pantone Black 6 C). These colors are used to identify Flowmaster on core items such as vehicle layout, signage and official correspondences.

Flowmaster colors are not to be paired with any other colors



- **PANTONE** 186 C
- CMYK C 12.44 / M 100 / Y 90.98 / K 3.07
- **RGB**-R-206 / G-14 / B-45
- HEX ceOe2d



- PANTONE Black 6 C
- CMYK C 81.91 / M 70.96 / Y 59.18 / K 75.22
- RGB-R-16 / G-24 / B-32
- **HEX** 101820

## SOCIAL



#### **Facebook**

Flowmaster branded Facebook pages containing Flowmaster in the name must use the square Flowmaster Logotype image as the profile image. No additional text or imagery may be added to the image unless approved by Flowmaster. The background must be white.

## Instagram

Flowmaster branded Facebook pages containing Flowmaster in the name must use the square Flowmaster Logotype image as the profile image. No additional text or imagery may be added to the image unless approved by Flowmaster. The background must be white.

## Other Images

Any other images and text (banners, shared content and posts) on social media may not contain other brands, logos or products.

## **Tagging**

Flowmaster's main account should be tagged first in all posts made from Flowmaster branded pages.



# BRAND MISSION



Flowmaster strives to lead the aftermarket automotive industry through excellence in customer experience, branding and product quality and performance. Adhering to these guidelines assures that you are aligned with Flowmaster's image, which projects these values.

## TYPEFACE

## **Typeface Options**

Eurostile is used to represent Flowmaster in digital and print media. This typeface gives our words an accent that reflects the company's personality. It is available in a wide range of weights that can be used to create emphasis and differentation to our media. Italicized versions of this typeface are acceptable for headings and titles.

Eurostile Regular

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

**Eurostile Bold** 

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile Italic

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile LT Extended #2

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

**Eurostile Bold Extended 2** 

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz