


DTY



Primary Logotype The Flowtech Logotype should be used where possible.



Contrast Logotype

When using a dark background, use a white Logotype.



It is acceptable to use a black Logotype in black and white print.



LOGOTYPE



Spatial Relationship

The Logotype must always have a minimum area of negative space that equals 1/4 of the total height. Nothing else should reside within that space.



Common Logotype Mistakes

- DO NOT incorporate the Flowtech Logotype into your own company identity.
- DO NOT alter the shape or color.
- DO NOT use artwork that has been rendered to look three-dimensional or have a reflective shine.
- DO NOT add shadows, reflections or glowing effects.
- DO NOT use on cluttered or overly patterned backgrounds.
- DO NOT add a stroke to the Logotype.
- DO NOT make additions to the Logotype.



COLORS

Palette

The colors for Flowtech are Red (Pantone 485 C), Gray (Pantone Cool Gray 3 CVC) & Black (Pantone Black 6 C). These colors are used to identify Flowtech on core items such as vehicle layout,

signage and official correspondences. All Flowtech colors are not to be paired with any other colors



• **Pantone** - 485 C

- CMYK C 5.69 / M 97.64 / Y 100 / K 0.56
- RGB R 225 / G 37 / B 27
- HEX e1251b

• PANTONE - Cool Gray 3 CVC

- CMYK C 15.27 / M 11.96 / Y 10.46 / K 0
- **RGB**-R-213/G-215/B-216
- HEX d5d7d8



- PANTONE Black 6 C
- CMYK C 81.91 / M 70.96 / Y 59.18 / K 75.22
- **RGB**-R-16/G-24/B-32
- HEX 101820



SOCIAL



Facebook

Flowtech branded Facebook pages containing Flowtech in the name must use the square Flowtech Logotype image as the profile image. No additional text or imagery may be added to the image unless approved by Flowtech. The background must be white.

Instagram

Flowtech branded Facebook pages containing Flowtech in the name must use the square Flowtech Logotype image as the profile image. No additional text or imagery may be added to the image unless approved by Flowtech. The background must be white.

Other Images

Any other images and text (banners, shared content and posts) on social media may not contain other brands, logos or products.

Tagging

Flowtech main account should be tagged first in all posts made from Flowtech branded pages.



BRAND IDENTITY GUIDE

BRAND MISSION



Flowtech strives to lead the aftermarket automotive industry through excellence in customer experience, branding and product quality and performance. Adhering to these guidelines assures that you are aligned with Flowtech image, which projects these values.



TYPEFACE

Typeface Options

Eurostile is used to represent Flowtech in digital and print media. This typeface gives our words an accent that reflects the company's personality. It is available in a wide range of weights that can be used to create emphasis and differentation to our media. Italicized versions of this typeface are acceptable for headings and titles.

Eurostile Regular

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile Bold

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile Italic

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile LT Extended #2

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile Bold Extended 2

AaBbCcDdEeFfGgHhliJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz