

LOGOTYPE



Primary Logotype

The ProforGED Logotype should be used where possible.



Contrast Logotype

When using a dark background, use a white Logotype.



B&W Logotype

It is acceptable to use a black Logotype in black and white print.

LOGOTYPE



Spatial Relationship

The Logotype must always have a minimum area of negative space that equals $1/4$ of the total height. Nothing else should reside within that space.



Common Logotype Mistakes

- **DO NOT** incorporate the ProforGED Logotype into your own company identity.
- **DO NOT** alter the shape or color.
- **DO NOT** use artwork that has been rendered to look three-dimensional or have a reflective shine.
- **DO NOT** add shadows, reflections or glowing effects.
- **DO NOT** use on cluttered or overly patterned backgrounds.
- **DO NOT** add a stroke to the Logotype.
- **DO NOT** make additions to the Logotype.

COLORS

Palette

The colors for Proforged are Red (Pantone 185 C), Dark Red (Pantone 194C), Black (Pantone Black 6 C), Gray (Pantone 422C) and Light Gray (Pantone Cool Gray 3 C).

These colors are used to identify Proforged on core items such as vehicle layout, signage and official correspondences.

All Proforged colors are not to be paired with any other colors



- **PANTONE** - 185 C
- **CMYK** - C - 1.55 / M - 100 / Y - 97.08 / K - 0.05
- **RGB** - R - 233 / G - 29 / B - 45
- **HEX** - 231f20




- **PANTONE** - 194 C
- **CMYK** - C - 26.84 / M - 95.95 / Y - 66.13 / K - 18.07
- **RGB** - R - 159 / G - 40 / B - 66
- **HEX** - 9f2842



- **PANTONE** - Black 6 C
- **CMYK** - C - 82.21 / M - 70.93 / Y - 59.16 / K - 75.06
- **RGB** - R - 16 / G - 24 / B - 32
- **HEX** - 101820



- **PANTONE** - 422 C
- **CMYK** - C - 40.63 / M - 31.4 / Y - 31.97 / K - 0.35
- **RGB** - R - 158 / G - 161 / B - 162
- **HEX** - 9ea1a2



- **PANTONE** - Cool Gray 3 C
- **CMYK** - C - 21.28 / M - 16.5 / Y - 16.98 / K - 0
- **RGB** - R - 200 / G - 200 / B - 200
- **HEX** - c8c8c8

SOCIAL



Facebook

Proforged branded Facebook pages containing Proforged in the name must use the square Proforged Logotype image as the profile image. No additional text or imagery may be added to the image unless approved by Proforged. The background must be white.

Instagram

Proforged branded Facebook pages containing Proforged in the name must use the square Proforged Logotype image as the profile image. No additional text or imagery may be added to the image unless approved by Proforged. The background must be white.

Other Images

Any other images and text (banners, shared content and posts) on social media may not contain other brands, logos or products.

Tagging

Proforged main account should be tagged first in all posts made from Proforged branded pages.

BRAND MISSION



ProforGED strives to lead the aftermarket automotive industry through excellence in customer experience, branding and product quality and performance. Adhering to these guidelines assures that you are aligned with ProforGED image, which projects these values.

TYPEFACE

Typeface Options

Eurostile is used to represent Proforged in digital and print media. This typeface gives our words an accent that reflects the company's personality. It is available in a wide range of weights that can be used to create emphasis and differentiation to our media. Italicized versions of this typeface are acceptable for headings and titles.

Eurostile Regular

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile Bold

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile Italic

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile LT Extended #2

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz

Eurostile Bold Extended 2

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOoPpQqRrSsTtUuVvWwXxYyZz