

KITS

IQ3 Logger Dash/IQ3 Display Dash

Monitors:

Engine RPM GPS Speed GPS Lap Time and Number Oil Pressure Oil Temp Water Temp



Short Course

IQ3 Logger Dash Universal sensor module 1 x Water temp sensor 1 x Oil temp sensor 1 x Oil pressure sensor 2 x 144" Packard cables 2 x 144" AMP cables *Optional EFI Interface Cable

IQ3 Logger Dash/IQ3 Display Dash

Monitors: Engine RPM GPS Speed Sync engine data over 2 dashes Oil Pressure Oil Temp Water Temp

Long Course

IQ3 Logger Dash IQ3 Display Dash Universal sensor module 1 x Water temp sensor 1 x Oil temp sensor 1 x Oil pressure sensor 1 x Fuel pressure sensor 2 x 144" Packard cables 2 x 144" AMP cables *Optional EFI Interface Cable

Power Module Kit

SmartWire Power Control Module SmartWire Switch Panel SmartWire 1 x SmartWire to Switch Panel Cable 1 x SmartWire to V-Net Cable

Smart Wire

Ability to Control: Fans Fuel Pumps Lights Sirens



DATA LOGGERS AND INSTRUMENTATION



250-DS-IQ3 - Display 250-DS-IQ3LD - Logger

IQ3 Logger Dash/IQ3 Display Dash

The IQ3 is a fully programmable LCD digital dash that can be purchased as a data logger or just for instrumentation. The single cable sensor input provides easy installation and reduced wiring complexity, and is compatible with all our V-Net devices.

Logger Dash Features:

37 Total Channels 32 V-Net Digital/Analog 5 Internal

Specifications:

- 4 Programmable display pages
- User defined 5 character input names User defined shift lights and warning
- liahts Internal GPS**
- 3 Axis G meter (accel, lateral, vertical)**
- Up to 16GB microSD card**
- Blue backlight

**Logger Dash only

G2X PRO



600-KT-G2X-PRO

The G2X PRO is impressive with its capability of recording up to 72 channels. In its base form you can record MPH and distance with the GPS that's included, as well as engine RPM, battery voltage and accel g-forces.

Features:

72 Total external sensor inputs, 56 V-Net, 8 Analog hard wired, 4 Digital hard wired, 4 Internal

Specifications:

- V-Net: up to 100 per second
- Analog: up to 1000 per second
- Digital: RPM and switch contacts up to 100 per second • Memory Up to 16GB SD card

Monitors:

Engine RPM **Driveline RPM Driveline RPM differential** Battery voltage **Acceleration G-Force** Lateral G-Force

SmartWire

SmartWire is a simple yet high tech power distribution module - it eliminates fuses and relays, simplifies wiring solutions and gives you the power and control to switch any electronically controlled device in your vehicle, whether it's lights, electric fans or fuel pumps

Capacity: 125 Total Amps Channels: • 30 Total Channels • 8 channels at 20 amp max • 22 channels at 10 amp max

12 Hardwired switch inputs

Data Output: Volts

Amps State

Response: 3.0 milliseconds

SmartWire Accessories

SmartWire Switch Panel 500-SW-PNL8 SmartWire Switch Module 500-SW-SM16 Switch Panel Mount Brackets 500-MB-SPxxxx (Sizes: 1.50", 1.625", 1.75" OFFROAD SmartWire to Switch Panel Cable 580-CA-BN5P-xxx

(Variety of lengths available) SmartWire to V-Net Cable280 CA-BN5P-Txx ::::Racepak (Lengths: 9", 18", 36"

500-KT-SW30

V-NET MODULES WITH SENSORS

Racepak carries a full range of V-Net Modules and sensors to easily add to your data logging system and allow you to obtain a wide variety of information from temperature sensors to pressure and vacuum sensors.

V-net Modules and Sensors

PRESSURE

- Manifold
- Boost
- Exhaust
- Back Pressure
- Fuel Pump Pressure
- Nozzle
- Carburetor Fuel Pressure
- Nitrous Bottle Pressure
- Nitrous Fuel Pressure
- Engine Oil Pressure
- Water Pressure
- Transmission Pressure
- Pan (Crankcase) Pressure

VACUUM

ManifoldPan (Crankcase)

TEMPERATURE

- Water Temperature
- Cylinder Head Temperature
- Engine Oil Temperature
- Manifold Intake
- Air Temperature
- Intercooler In and Out Temperature
- Rear End Oil Temperature
- Transmission Oil Temperature
- EGT (single cylinder or cylinder bank)

RPM

Engine RPM

Front Wheel RPM

(Battery Ign or Magneto Ign) • Driveshaft RPM

ACCESSORIES

For ease of installation be sure to review to the accessories available from Racepak including V-Net extension cables, mounting brackets and programming buttons

- Air Fuel Ratios (single or multiple)
- CvIFuel Flow (GPM)
- Throttle Position (0-100%)
- Suspension Travel
- V-Net Extension Cables from 6" 216"
- V-Net Tee Cable 9" 36"
- Terminator Cap
- Molex Cables
- Magnets
- IQ3 External Programming Buttons

OFFROAD

- IQ3 Mounting Bracket
- IQ3 Mounting Panels • IQ3 Protective Cover
- G2X Pro Mounting Bracket

30402 Esperanza | Rancho Santa Margarita, CA 92688 | (949) 709-5555 | racepak.com FRM 32067

